



Page: 1 of 9

Revision Date: 06/08/15

SDS#: **1504** 

# SAFETY DATA SHEET

## Section 1 - Identification of the substance/mixture and of the supplier

Trade Name: Krystal Klear® ResQ

Product Code: KKResQ

**Chemical Name:** 8-0-2 EDTA & IDS chelated B, Cu, Fe, Mg, Mn, & Zn micronutrient solution

Application/Uses: Fertilizing Compound

Restrictions: None

Distributor Information: PERFORMANCE NUTRITION - A Division of LidoChem, Inc. 20 Village Court, Hazlet, NJ 07730

Phone: (732) 888 8000 • Fax: (732) 264 2751 • email: info@lidochem.com

Emergency Phone Number: CHEMTREC - Day or Night - at 800 424 9300

#### **Section 2 - Hazard Identification**

#### Classification of the substance or mixture (GHS-US)

Reproductive toxicity 2
Acute oral toxicity 4
Acute inhalation toxicity 4
Acute dermal toxicity 4
Skin corrosion/irritation 2
Serious eye damage/eye irritation 2B
STOT SE 3 (irritating to respiratory system)

#### **Physical Hazards**

Combustible liquid

## **Hazard Statements**

H227: Combustible liquid

H302: Harmful if swallowed

H312: Harmful in contact with skin

H315: Causes skin irritation

H320: Causes eye irritation

H332: Harmful if inhaled

H335: May cause respiratory irritation

H336: May cause drowsiness or dizziness

H361: Suspected of damaging fertility or the unborn child

#### **GHS Label elements**

# **Hazard Pictograms**

Signal Word









# **HNOC - Hazards Not Otherwise Classified**

# **Precautionary Statements:**

## Precautionary Statements - Prevention, Response, Storage, Disposal

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, sparks, open flames, hot surfaces and other ignition sources. No smoking.

P261: Avoid breathing fume/mist/vapours/spray.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P312 + P330: IF SWALLOWED: Call a poison control center or doctor/physician if you feel unwell. Rinse mouth.

P302 + P352 + P312: IF ON SKIN: Wash with plenty of soap and water. Call a poison center or doctor/physician if you feel unwell.

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P304 + P340 + P312: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

P337 + P313: If eye irritation persists: Get medical advice/attention.

P362 + P364: Take off contaminated clothing and wash it before reuse.

P370 + P378: In case of fire: Use water, dry powder, carbon dioxide, foam to extinguish.

P403 + P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to an approved waste disposal plant in accordance with local/regional/national regulations.

Page: 2 of 9

0/ 10... 14/4

## Section 3 - Composition/Information on Ingredients

Chemical Identity: 8%N, 2% K, 0.25%B, 0.25% Cu, 2% Fe, 0.5% Mg, 0.5% Mn & 0.25% Zn

CAS#:	Common Name/Synonyms:	% by Wt.	CAS#:	Common
60-00-4	Ethylenediaminetetraacetic acid	22-24%	7773-01-5	Mangane
141-43-5	Monoethanolamine	21-23%	12069-69-1	Copper (I
10025-77-1	Iron (III) chloride, hexahydrate	14-16%	1314-13-2	Zinc oxide
1310-58-3	Potassium hydroxide, caustic potash	4-6%		
10043-35-3	Boric Acid	1-1.5%		1 U

CAS#:	Common Name/Synonyms:	% by wt.
7773-01-5	Manganese (II) chloride	1-1.5%
12069-69-1	Copper (II) carbonate basic	0.25-0.5%
1314-13-2	Zinc oxide	0.25-0.5%
	10	

# **Section 4 - First Aid Measures**

# **Description of first aid measures**

#### **General Advice:**

Remove contaminated clothing and shoes. Seek medical advice immediately and show safety data sheet or label to the doctor, if possible.

#### If Inhaled:

Remove person from contaminated area to fresh air. If not breathing, give artificial respiration. Seek medical attention if irritation or dizziness occurs.

#### In Case Of Skin Contact:

Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.

## In Case Of Eye Contact:

Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately.

#### If Swallowed:

Seek medical attention or call a poison control center immediately. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

# Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in section 2. Further symptoms are possible.

## Indication of any immediate medical attention and special treatment needed:

No additional information available.

# Section 5 - Fire-fighting Measures

#### **Extinguishing media:**

Suitable extinguishing media: water, dry powder, carbon dioxide, foam.

# Specific Hazards arising from the substance or mixture:

Hydrogen chloride, manganese oxides, copper oxides, boron oxides may be formed in a fire situation. Carbon oxides and nitrogen oxides may form as well.

# Advice for firefighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode.

#### **Further information:**

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.



Page: 3 of 9

#### Section 6 - Accidental release measures

## Personal precautions, protective equipment and emergency procedures:

As outlined in section 8, wear appropriate respiratory protection. Avoid breathing fume, vapours, spray, mist or gas. Use personal protective clothing. Ensure adequate ventilation. Evacuate personnel to safe areas.

#### **Environmental precautions:**

Do not allow spilled product to enter water supplies.

# Methods and materials for containment and cleaning up:

Spills should be contained by diking area with sand or soil. Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop or sweep up material and place in a container for disposal. Do not place spilled material back into the original container.

# Section 7- Handling and Storage

#### Precautions for safe handling:

Do not eat, drink or smoke when using this product. Wash hands and other exposed areas thoroughly after handling. Provide adequate ventilation. Protect packages against physical damage. Reseal containers immediately after use. Immediately remove and dispose of any spilled material.

# Conditions for safe storage, including any incompatibilities:

Keep container tightly closed in a dry and well ventilated area.

#### Section 8 - Exposure Control / Personal Protection

## **Control parameters:**

Chamical Identity	CAS #:	ACGIH Thresho	ACGIH Threshold Limit Values		OSHA PEL		NIOSH REL	
Chemical Identity:		TWA	STEL	TWA	STEL	TWA	STEL	
Ethylenediaminetetraacetic acid	60-00-4	NDA	NDA	NDA	NDA	NDA	NDA	
Monoethanolamine	141-43-5	2 mg/m <sup>3</sup>	6 mg/m <sup>3</sup>	6 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	8 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	
Iron (III) chloride, hexahydrate	10025-77-1	1 mg/m2	NDA	NDA	NDA	NDA	NDA	
Potassium hydroxide, caustic potash	1310-58-3	NDA	2 mg/m <sup>3</sup>	NDA	2 mg/m <sup>3</sup>	NDA	2 mg/m <sup>3</sup>	
Boric Acid	10043-35-3	2 mg/m <sup>3</sup>	6 mg/m <sup>3</sup>	NDA	NDA	NDA	NDA	
Manganese (II) chloride	7773-01-5	0.2 mg/m <sup>3</sup>	NDA	NDA	NDA	1 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>	
Copper (II) carbonate basic	12069-69-1	1 mg/m³	NDA	NDA	NDA	NDA	NDA	
Zinc oxide	1314-13-2	2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	5-15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	

## Appropriate engineering controls:

Provide sufficient ventilation to maintain airborne concentrations below the recommended exposure limits. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

# Individual protection measures, such as personal protective equipment:

# Eye protection:

Tightly fitting safety goggles or face shield if a splashing hazard exists. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH.

### Skin protection:

Handle with chemical resistant protective gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands.





# Section 8 - Exposure Control / Personal Protection (cont.)

# **Body protection:**

Body protection must be chosen depending on activity and possible exposure, i.e. apron, chemical resistant footwear plus socks, long sleeved shirt, long pants, chemical protection suit.

#### Respiratory protection:

Respiratory protection is not typically required if airborne concentrations are maintained below the established exposure limits. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Do not exceed the maximum use concentration for the respirator facepiece/cartridge combination. For emergency or non-routine, high exposure situations, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions. Observe OSHA regulations for respirator use (29 CFR 1910.134)

#### General safety and hygiene measures:

Eye wash fountains and safety showers must be easily accessible. Employees should wash their hands and face before eating, drinking or using tobacco products.

# **Section 9 - Physical and Chemical Properties**

Appearance (physical state, color, etc): Dark brown liquid

Odor: Earthy

Odor threshold: None

**pH:** 8.0 +/- 0.3

Melting point: No data available

Freezing point: No data available

Initial boiling point: No data available

Boiling range: No data available

Flash point: 89°C (192.2 °F)

**Evaporation rate:** No data available

Flammability (solid, gas): No data available

Upper/lower flammability or explosive limits: No data available

Vapor pressure: No data available

Vapor density: No data available

Relative density: No data available

Solubility: Soluble

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Specific gravity: 1.26

Page: 5 of 9

# Section 10 - Stability and Reactivity

# Reactivity: No data available Chemical stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions. Possibility of hazardous reactions: No data available. Conditions to avoid (i.e. static discharge, shock or vibration): No data available. Incompatible materials: Strong oxidizing agents, strong bases and acids.

# Section 11- Toxicological Information

# Likely routes of exposure:

No data available.

Inhalation, ingestion, skin and eye contact.

Symptoms related to physical, chemical and toxicological characteristics and delayed and immediate effects and chronic effects from short and long term exposure:

## **Acute Toxicity:**

**Acute oral -** Ethanolamine: Estimated LD50 = 1,515 mg/kg. EDTA: Estimated LD50 = 4,500 mg/kg. Boric acid: Estimated LD50 = 2,660 mg/kg. Manganese chloride: Estimated LD50 = 250 mg/kg. Copper carbonate basic: Estimated LD50 = 1,350 mg/kg. Zinc oxide: Estimated LD50 = 7,950 mg/kg. Ferric chloride: Estimated LD50: 1,872 mg/kg. Potassium hydroxide: Estimated LD50 = 333 mg/kg. **Acute inhalation** - Ethanolamine: Estimated LC50 = >1.3 mg/l. Zinc oxide: Estimated LC50 = 2,500 mg/m<sup>3</sup>. **Acute dermal** - Ethanolamine: Estimated LD50 = 2,504 mg/kg.

#### Skin corrosion/irritation:

Immediate contact may cause irritation. Repeated exposure may lead to itch, rash, dermatitis or other reaction.

# Serious eye damage/eye irritation:

May cause eye irritation, including redness and inflammation based on component data.

# Respiratory or skin sensitization:

No data available.

## Carcinogenicity:

No data available.

Page: 6 of 9

# Section 11- Toxicological Information (cont.)

# Germ cell mutagenicity

No data available for this mixture.

Zinc oxide: Hamster embryo - unscheduled DNA synthesis, morphological transformation, sister chromatid exchange.

#### Reproductive toxicity:

No data available for this mixture. Boric acid has been demonstrated to have an effect on male fertility and the development of an unborn child.

#### Specific target organ toxicity - single or repeated exposure:

No data available for this mixture.

Single exposure: **Ethanolamine:** After repeated exposure, the prominent effect is local irritation. The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.

#### Aspiration hazard

No data available.

#### Symptoms after inhalation:

Harmful if inhaled. Can cause irritation of the upper respiratory tract with potential effects on the central nervous system.

#### Symptoms after skin contact:

May cause skin irritation.

### Symptoms after eye contact:

May cause eye irritation including redness and inflammation.

## Symptoms after ingestion:

Harmful if swallowed. Ingestion could have negative effects on the kidneys and liver.

#### **Section 12- Ecological Information**

## Ecotoxicity (aquatic and terrestrial, where available):

#### Toxicity to fish (acute and chronic):

No data available for the mixture. Individual component data reported.

Ethanolamine: LC50: 349 mg/l, exposure time: 96 h, species: *Cyprinus carpio* (Carp), test type: semi-static test. Literature data. Chronic: NOEC: 1.2 mg/l, exposure time: 30 d, species: *Oryzias latipes* (orange-red killifish), method: OECD test guideline 210. Literature data. EDTA: LC50: 41 mg/l, exposure time: 96 h, species: *Lepomis macrochirus* (Bluegill sunfish), test type: static test. Manganese chloride: LC50: 51 mg/l, exposure time: 96 h, species *Orconectes limosus macrochirus* (Bluegill sunfish). Boric acid: LC50: 279 mg/l, exposure time: 96 h, species: *Ptychocheilus lucius*. LC50: >1,021 mg/l, exposure time: 96 h, species: *Lepomis macrochirus* (Bluegill). Zinc oxide: LC50: 1.1 mg/l, exposure time: 96 h, species: *Oncorhynchus mykiss* (rainbow trout). Ferric chloride, hexahydrate: LC50: 26 ppm iron, exposure time: 96 h, species: *Pisces*, LC50: 75.6 mg/l anhydrous form, exposure time: 96 h, species: *Gambusia affinis*. Potassium hydroxide: LC50: 80 mg/kg, exposure time: 96 h, species: *Gambusia affinis* (Mosquito fish).

### Toxicity to daphnia and other aquatic invertebrates (acute and chronic):

No data available for the mixture. Individual component data reported.

Ethanolamine: EC50: 65 mg/l, exposure time: 48 h, species: Daphnia magna (water flea), test type: static test, method: 84/449/EEC C.2, Literature data. Chronic: NOEC: 0.85 mg/l, exposure time: 21 d, species: Daphnia magna (water flea), method: OECD test guideline 211. Literature data. EDTA: EC50: 625 mg/l, exposure time: 48 h, species: Daphnia magna (water flea). Manganese chloride: EC50: >11 mg/l, exposure time: 48 h, species: Daphnia magna (water flea). Boric acid: EC50: 133 mg/l, exposure time: 48 h, species: Daphnia magna (water flea). Ferric chloride, hexahydrate: EC50: 9.6 mg/l anhydrous form, exposure time: 48 h, species: Daphnia magna (water flea). EC50: 296-424 mg/l, exposure time: 96 h, species: Crangon sp.

#### Toxicity to algae:

No data available for the mixture. Individual component data reported.

#### **Ethanolamine:**

ErC50: 2.5 mg/l, exposure time: 72 h, species: Pseudokirchneriella subcapitata (green algae, test type: OECD test guideline 201. Literature data.

Page: 7 of 9

# Section 12- Ecological Information (cont.)

# Persistence and degradability:

No data available for the mixture.

Ethanolamine: readily biodegradable. Method OECD test guideline 301 E

## **Bioaccumulative potential:**

No data available.

#### Mobility in the soil:

No data available.

#### Other adverse effects:

No data available for this mixture; however, zinc oxide, manganese (II) chloride and potassium hydroxide are very toxic to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# **Section 13 - Disposal Considerations**

# Waste treatment methods - product:

Dispose in accordance with all local, state and federal regulations. In unused condition, this product is not considered to be a RCRA defined hazardous waste by character/listings. It is the responsibility of the waster generator to evaluate whether this wastes are hazardous by characteristic/listing.

# Waste treatment methods - container:

Containers should be cleaned of residual product before disposal. Empty containers should be disposed of in accordance with all applicable laws and regulations. Chemical additions, processing or otherwise altering this material may make the waste management information presented incomplete, inaccurate or otherwise inappropriate.

# Section 14 - Transport Information - US DOT, IATA, IMO, ADR:

Proper Shipping Name: Fertilizing Compound, NOI, Liquid - Krystal Klear® ResQ

D. O. T. Hazard Class: Not regulated by D.O.T. UN #: N/Ap

Label Requirement: None RQ: N/Ap

Placard: None CAS: Mixture

Packing Group: N/Ap ERG Book Information: Guide # 171

Environment Hazards: Marine Pollutant:

Special Precautions:

# Section 15 - Regulatory Information

## U.S. Federal - OSHA Status:

This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910,1200.

# **TSCA Status:**

Listed/Reportable

#### SARA Title III Section 302 - EXTREMELY HAZARDOUS SUBSTANCES:

This product does NOT contain ingredients listed in Appendix A and B as Extremely Hazardous substances.

Page: 8 of 9

# Section 15 - Regulatory Information (cont.)

#### SARA Title III Sections 311/312:

Immediate (acute) health hazard Delayed (chronic) health hazard

#### **SARA Section 313 Toxic Chemicals:**

This product contains the following toxic chemical subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act:

CAS#	Chemical Name:					
	This material does NOT contain any chemical components with known CAS numbers that exceed the threshold reporting levels.					

#### **SARA Superfund Section 110:**

This product does NOT contain ingredients listed as hazardous substances on the Priority List of CERCLA Hazardous substances.

#### CERCLA, 40 CFR 117, 302:

This product does NOT contain ingredients specified in the List of Extremely Hazardous Substances.

#### **CERCLA listed substances are:**

Ethylendiamine tetraacetic Acid RQ 5000lbs Pe

Potassium hydroxide, caustic potash RQ 1000lbs

# Other Federal Reporting Requirements:

CAA: This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act

CWA: No chemicals in product are listed a Hazardous Substances, Priority Pollutants or Toxic Pollutants under the CWA.

RCRA: Not a hazardous waste under RCRA.

# **State Reporting Requirements:**

#### State Right to Know Laws:

CAS#	State RTK	Chemical Name	
60-00-4	NJ, PA, MA, CA	Ethylendiamine tetraacetic Acid	
141-43-5	CT, MA, MN, NJ,	Monoethanolamine	
1310-58-3	MA, PA, NJ	Potassium hydroxide, caustic potash	
12069-69-1	PA, CA, NJ	Copper (II) carbonate, basic	

# **CALIFORNIA PROPOSITION 65:**

This product does NOT contain a chemical or chemicals subject to California Proposition 65.

# **Michigan Critical Materials:**

This product does NOT contain ingredients listed on the Michigan Critical Materials Register.

## **Global Lists/International Inventories:**


Canada CEPA: All components are listed on the Canadian DSL

Canada WHMIS: No Information Found





## **Section 16 - Other Information**





Date of last revision:

6/8/2015

NOTICE: OSHA STANDARD 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a Hazard Communication Program including training, labeling, Safety Data Sheets, and access to written records. We request that you, and it is your legal duty, make all information in this Safety Data Sheet available to your employees.

# **Key Legend Information:**

N/Ap: Not Applicable Not Determined N/R: Not Rated ND: ACGI American Conference of Govr'ntal Industrial Hygienists NDA: No Data Available OSHA: Occupational Saftey and Health Administration TLV: Threshold Limit Value PEL: Permissable Exposure Limit TWA: Time Weighted Average STEL: **Short Term Exposure Limit** NTP: National Toxicology Program IARC: International Agency for Research on Cancer TSCA: **Toxic Substance Control Act** 

SARA Title III: Superfund Amendments and Reauthorization Act CERCLA: Comprehensive Response, Compensation and Liability Act

CWA:

Clean Water Act

CAA: Clean Air Act

RCRA: Resource Conservation Recovery Act

IATA: International Air Transport Association Shipping Info. IMO: International Maritime Organization Shipping Info.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein. This Safety Data Sheet was prepared to comply with OSHA Hazard Communication standard. (29 CFR 1910.1200 HazCom 2012). This supersedes any previous information. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by LidoChem, Inc. as to the effects of such use or the results to be obtained, nor does LidoChem, Inc. assume any liability arising out of use, by others, of the products referred to herein. Nor is the information herein to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist because of applicable laws or government regulations. All LidoChem Inc. SDS's are reviewed every three years or sooner if necessary. Please check the Review Date on Page 1 for most current version. Please request a new SDS from LidoChem, Inc. if the date is older than 3 years.